

## WALL-06SET/WS - Active Cabinets



Active 2-way stereo speaker system, 2 x 30 W

- Set consists of one active and one passive speaker system. Connection of the passive system to the active system via screw terminal strip
- Active speaker system with integrated 2-channel amplifier
- Stereo RCA input or balanced input L/R via screw terminal strip
- Volume control and 2-way tone control
- Auto standby
- Built-in power supply with 3-pin IEC jack
- 16 cm (6") bass speaker system and dome tweeter
- Stylish white plastic cabinet
- Mounting bracket for pivoting and tilting

Active 2-way stereo speaker system, 2 x 30 W

- Set consists of one active and one passive speaker system. Connection of the passive system to the active system via screw terminal strip
- Active speaker system with integrated 2-channel amplifier
- Stereo RCA input or balanced input L/R via screw terminal strip
- Volume control and 2-way tone control
- Auto standby
- Built-in power supply with 3-pin IEC jack



- 16 cm (6") bass speaker system and dome tweeter
- Mounting bracket for pivoting and tilting

## Tekniset tiedot:

Active/passive	: active/passive
Transmission method	: cable
Total output power	: 2 x 50 W
Power rating (RMS)	: 2 x 30 W
Total power rating	: -
Power rating (RMS)	: -
Impedance	: -
Frequency range	: 70-20,000 Hz
THD	: -
S/N ratio	: -
Input signal	: 890 mV/20 kOhm (unbal,.) 1,600 mV/40 kOhm (bal.)
System	: 2-way
Full range speaker	: -
Bass speaker	: 16 cm (6") bass speaker
Midrange speaker	: -
Tweeter	: dome tweeter
Number of speakers	: 2
Speaker size	: 16 cm (6")
Sensitivity	: 90 dB/W/m
Max. rated SPL	: 105 dB
Radiation angle, horizontal	: -
Radiation angle, vertical	: -
Features	: -
Housing material	: plastic
Colour	: white
Mounting device	: mounting bracket
Protected against ball rebound	: -
Protection class	: -
Admiss. ambient temp.	: 0-40 °C
Power supply	: &acd; 230V/50 Hz/140VA
Dimensions	: 196 x 303 x 250Å mm (with bracket)
Width	: 196 mm
Height	: 303 mm
Depth	: 250 mm
Weight	: 8Å kg (pair)



Inputs	: 1 x RCA L/R (unbalanced) 1 x terminal L/R (balanced) spr.-load. speak. term. (passive speaker system) spr. load. speak. term.
Outputs	: -
Replacement voice coil	: -
Other features	: pair
Accessories	: -