


MPX-206/SW - Stereo Mixer



6-channel stereo mixer

- 4 stereo input channels, each with separate LED level display, switchable line/phono (channels 1-2) and line/line (channels 3-4), gain control, 3-way equalizer with cut function
- 1 DJ microphone channel with switchable automatic talkover and 1 guest microphone channel, both channels with gain control as well as 2-way tone control
- 1 stereo effect way (send/return)
- 2 master outputs, each with beat LED and 1 booth output
- 1 record output
- LED level display, switchable between both master outputs
- Crossfader with assignment switches for channels 1-4 and cut switch function to suppress high frequencies, midrange and bass frequencies
- Adjustable headphone output
- Fader start for the stereo inputs (channels 1-4)
- Connection for gooseneck light GNL-404

Tekniset tiedot:

No. of channels	: 6
No. of inputs	: 12
Mic input	: 1.5 mV, 2 x 6.3 mm jack
Line input	: 150 mV, 3 x RCA L/R
CD input	: 150 mV, 3 x RCA L/R
Phono input	: 3 mV, 2 x RCA L/R
Tape (play)	: -
Aux input	: -
Insert input	: -
Effect return	: 135 mV, 1 x RCA L/R
Master output	: 1 V/600 Ohm, 1 x 3-pole XLR L/R
Record output	: 300 mV/600 Ohm, 1 x RCA L/R
Monitor output	: 1 V/600 Ohm, 1 x RCA L/R
Booth output	: -
Aux output	: -
Insert output	: -
Effect send	: 300 mV/600 Ohm, 1 x RCA L/R
Control room	: -
Tape (rec)	: -
Headphones	: ? 8 Ohm, 6.3 mm jack
Gooseneck lamp	: 12 V/5 W, 4-pole XLR
WiFi	: -
USB	: -
Bluetooth	: -
Frequency range	: 20-20,000 Hz
THD	: 0.05%
S/N ratio	: ? 50 dB
Crosstalk	: -
Equalizer bass	: +15 dB, -30 dB/50 Hz
Equalizer midrange	: +15 dB, -30 dB/1 kHz
Equalizer treble	: +15 dB, -30 dB/10 kHz
equalizer	: -
Talkover	: -12 dB, switchable
Phantom power	: -
Crossfader	: yes

Media player	: -
Amplifier	: -
Power supply	: ∿ 230Â V/50Â Hz/14Â VA
Mains voltage	: ∼ 230 V
Mains frequency	: 50 Hz
Power consumption, operation	: 14 VA
Operating voltage (possible alternative)	: -
Power supply (possible alternative)	: -
Admiss. ambient temp.	: 0-40 °C
Width	: 482 mm
Height	: 266 mm
Depth	: 110 mm
Rack spaces, RS	: 6
Weight	: 6.48 kg