




# IT-400TW - Horn Speaker



The music horns from MONACOR are the state-of-the-art solution in order to use the full range of a horn speaker with a clearly extended frequency range.

The 2-way technology with a dynamic cone bass-midrange speaker and a horn tweeter allows for an increase in the sound quality and permits to radiate the keynotes of voices and instruments which cannot be achieved by conventional horn speakers. The music horns are a perfect solution whenever an optimum voice volume and/or a more complete music transmission is required.

Weatherproof horn speaker (music horn), 2-way technology

- 100 V line technique with very high tapping power
- Weatherproof and IP66 certified

- Very wideband sound with a distinct bass volume, even at very high volume levels
- 16 cm bass-midrange speaker and 25 mm (1") horn
- Robust plastic housing
- Supplied with mounting bracket and screws made of stainless steel

## Tekniset tiedot:

|                                |                                    |
|--------------------------------|------------------------------------|
| Active/passive                 | : passive                          |
| Transmission method            | : 100 V                            |
| Total output power             | : -                                |
| Power rating (RMS)             | : -                                |
| Total power rating             | : 60 W                             |
| Power rating (RMS)             | : 60/30/15/7.5 W                   |
| Impedance                      | : -                                |
| Frequency range                | : 100-20,000 Hz                    |
| THD                            | : -                                |
| S/N ratio                      | : -                                |
| Input signal                   | : -                                |
| System                         | : -                                |
| Full range speaker             | : -                                |
| Bass speaker                   | : -                                |
| Midrange speaker               | : -                                |
| Tweeter                        | : -                                |
| Number of speakers             | : 2                                |
| Speaker size                   | : -                                |
| Sensitivity                    | : 98 dB/W/m                        |
| Max. rated SPL                 | : 116 dB                           |
| Radiation angle, horizontal    | : 100°                             |
| Radiation angle, vertical      | : 60°                              |
| Features                       | : 2-way                            |
| Housing material               | : ABS                              |
| Colour                         | : grey                             |
| Mounting device                | : stainless steel mounting bracket |
| Protected against ball rebound | : -                                |
| Protection class               | : IP66                             |
| Admiss. ambient temp.          | : -20 °C to +50 °C                 |
| Power supply                   | : -                                |
| Dimensions                     | : 420 x 335 x 400 mm               |
| Width                          | : 420 mm                           |
| Height                         | : 335 mm                           |
| Depth                          | : 400 mm                           |
| Weight                         | : 6.68 kg                          |



|                        |                |
|------------------------|----------------|
| Inputs                 | : -            |
| Outputs                | : -            |
| Replacement voice coil | : -            |
| Other features         | : weatherproof |
| Accessories            | : -            |